

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
P-449	926.885	A standard USC & GS brass disc set in concrete bridge abutment 1.2 miles south along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station at Colton, at concrete bridge A 5 over <u>Fogg Street</u> , in the top east end of the north abutment, 10.7 feet east of the east rail of a side track, 4.0 feet east of a wooden guard rail, and about 1.0 foot lower than the track. Initials “B M” painted 3.5 feet east of and 10.0 feet below the disc on the north headwall of the underpass.
101	942.253	City of Colton standard 2 inch brass disc set in the top concrete abutment on the south end of the east abutment of the <u>Atchison, Topeka and Santa Fe Railway</u> overpass at <u>La Cadena Drive</u> , approximately 7.0 feet east of most easterly rail on the east side of the Drive. Initials “B M” are painted 9.0 feet south, 4.0 feet east and 15.0 feet below the disc on the southeast headwall on the east side of <u>La Cadena Drive</u> .
101-A	936.284	City of Colton standard brass disc set in concrete sidewalk at southwest corner of <u>Eighth Street and Congress Street</u> , set 1.00 foot west of the beginning of the curb on west side of <u>Eighth Street</u> , approximately 20’ west and 40’ south of the centerline intersection. Initials “B M” marked on concrete 0.90 foot north of the disc.
101-B	940.874	City of Colton standard brass disc set in concrete sidewalk at back of mid-curb at the northwest corner of <u>Congress Street and Cedar Street</u> , approximately 30 feet north and 25 feet west of the centerline intersection. The initials “B M” are marked on concrete 0.09 foot southeast of the disc.
101-C	935.621	City of Colton standard brass disc set in the top of the east curb on <u>Florez Street</u> , south of <u>Congress Street</u> , approximately 70 feet north of the center of the cul-de-sac at the south end of <u>Florez</u> . The initials “B M” are marked on the curb 0.70 feet south of the disc.
101-D	921.838	City of Colton standard brass disc set in concrete at the northeast corner of <u>Fogg Street and Jefferson Lane</u> , two feet south of chain link fence on the corner and 6 feet north of the fire hydrant. Set approximately 28 feet north and 35 feet east of the centerline intersection, 0.20 feet below the surface.
101-E	909.450	City of Colton standard brass disc set in the top of the concrete curb on the south side of <u>Washington Street</u> at the south end of <u>Lincoln Street</u> , north of Griffin Wheel Company’s chain link fence, 2.00 feet. Set approximately 15 feet east of the centerline of <u>Lincoln Street</u> . The initials “B M” are marked on the curb 0.70 feet west of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
102	942.205	City of Colton standard 2 inch brass disc set in concrete 0.10 foot below surface of asphalt at the intersection of <u>Maple Street</u> and the East line of the <u>Atchison, Topeka and Santa Fe Railway</u> right of way, approximately 1.0 foot east of the wood railroad tie retaining wall and 7.0 feet north of the apparent centerline of <u>Maple Street</u> .
103	948.790	City of Colton standard 2 inch brass disc set in concrete 1.0 foot west of a wood railroad tie retaining wall at the intersection of the east line of the <u>Atchison, Topeka and Santa Fe Railway Right of Way</u> and <u>Stephen Street</u> , and 7.0 feet north of the apparent centerline of the street.
703-3 S.B. Co. Surv.	951.676	A San Bernardino County Surveyor's standard brass disc set in the top and center of concrete headwall for a 30 inch diameter concrete culvert, 0.55 miles south along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station in Colton, at the west end of " <u>O</u> " <u>Street</u> and east side of a side track, 44 feet west of centerline of <u>6th Street</u> , 15 feet south of the centerline of " <u>O</u> " <u>Street</u> , 19 feet north and 4 feet west of northwest corner of the La Esperanza store and 4 and ½ feet below the tracks. Initials "B M" are painted on the headwall adjacent to the disc.
104	960.224	City of Colton standard 2 inch brass disc set in the east concrete abutment of the <u>Atchison, Topeka and Santa Fe Railway</u> overpass at " <u>N</u> " <u>Street</u> , approximately 58.0 feet south of centerline of overpass and 7.0 feet east of most easterly rail. Initials "B M" are painted on the east side of the south headwall, 5.00 feet below the disc.
105	958.901	City of Colton standard 2 inch brass disc set in concrete 9.0 feet east of a chain link fence on the east right of way of the <u>Atchison, Topeka and Santa Fe Railway</u> and approximately 5.0 feet north of the centerline of " <u>M</u> " <u>Street</u> .
105-A	961.262	City of Colton standard brass disc set in concrete sidewalk at mid-curb at the southeast corner of " <u>M</u> " <u>Street</u> and <u>La Cadena Drive</u> . Set approximately 40 feet south and 40 feet east of the centerline intersection. The initials "B M" are marked on concrete 0.60 feet northwest of the disc.
105-B	960.032	City of Colton standard brass disc set in concrete curb at mid-curb at the southeast corner of " <u>M</u> " <u>Street</u> and <u>Tenth Street</u> . Set approximately 30 feet south and 25 feet east of the centerline intersection. The initials "B M" are marked on the curb 0.70 feet northeast of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
105-C	954.426	City of Colton standard brass disc set in the northeast end of concrete headwall on the south side of <u>"M" Street</u> at the Wash, running southeast and east of the service to the city dump. The initials "B M" are marked on the north face of the headwall 0.50 feet below the disc.
105-D	952.695	City of Colton standard brass disc set in concrete curb at mid-curb at the southwest corner of <u>"M" Street and Mt. Vernon Avenue</u> , approximately 20 feet south and 20 feet west of the centerline intersection. The initials "B M" are marked on the curb 0.70 southeast of the disc.
105-E	940.010	City of Colton standard brass disc set on the south end of a concrete headwall on the west side of <u>Mt. Vernon</u> , approximately 30 feet south of the intersection with <u>Cooley Lane</u> . The initials "B M" are marked on the top headwall 0.70 feet north of the disc.
106	962.198	City of Colton standard 2 inch brass disc set in concrete 3.0 feet east of a chain link fence on the east right of way of the <u>Atchison, Topeka and Santa Fe Railway</u> and approximately 5.0 feet north of the centerline of <u>"L" Street</u> .
107	967.073	City of Colton standard 2 inch brass disc set in concrete on the <u>Atchison, Topeka and Santa Fe Railway</u> property, 18.0 feet east and 7.0 feet north of the Colton tower gas meter structure and 10.0 feet north of the centerline of <u>"K" Street</u> and 6.0 feet west of the original west curb of <u>Sixth Street</u> .
108	972.481	City of Colton standard 2 inch brass disc set in concrete under the <u>Interstate 10 freeway overpass</u> crossing the <u>Atchison, Topeka and Santa Fe Railway</u> , 1.0 foot east and 1.0 foot south of the most southerly column of the first pier east of the main lines of the Railway, approximately 30.0 feet west of the original line of Sixth Street, south of Valley Blvd., and set 0.10 foot under the surface.
109	979.164	City of Colton standard 2 inch brass disc set in concrete 4.0 feet north and 1.0 feet west of the southwest corner of the chain link fence on the west line of the U.S. Post Office parking lot and the east line of the <u>Atchison, Topeka and Santa Fe Railway</u> right of way, on the north side of <u>Valley Blvd.</u> Set 0.30 below surface. Initials "B M" painted on top of the sidewalk, 5.0 feet south of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
E-709	990.034	A standard USC & GS brass disc set at the <u>Atchison, Topeka and Santa Fe Railway Station</u> in the top of the north edge of a concrete patio floor, 24.3 feet east of the east rail of the east track, 0.7 feet northeast of the northeast edge of the north one of three concrete pillars, 0.6 foot south of the south concrete wall of the station, and flush with the floor. Initials “B M” painted on south wall of station 1.0 foot above disc.
F-472 Reset 1970 USC & GS	983.820	A standard USC & GS brass disc set in the concrete porch of the U.S. Post Office at the southeast corner of the intersection of <u>Seventh Street</u> and <u>“H” Street</u> , in the northwest corner of the porch and level with the surface.
Fleming Azimuth Mark USC & GS	992.792	A standard USC & GS brass disc set in concrete, stamped “Fleming 1964”, flush with the surface, 10 feet north of the centerline of a paved alley between <u>“E” Street</u> and <u>“F” Street</u> , east of <u>Sixth Street</u> , 2 feet east of a power pole and 1.9 feet east of a witness post.
Fleming 1964	991.719	A standard USC & GS brass disc set in the top of a 12 inch square, concrete monument, flush with the surface, 107 feet east of the center of <u>Seventh Street</u> and 13 feet south of a fence, in the northwest corner of <u>Fleming Park</u> at the corner of <u>Seventh Street</u> and <u>“F” Street</u> .
USGS 979 Reset 1964	996.536	A standard USGS brass disc set in the concrete base of the flagpole in front of the City Hall of the City of Colton, at the northeast corner of <u>La Cadena Drive</u> and <u>“E” Street</u> .
110	1004.123	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of <u>“C” Street</u> and <u>La Cadena Drive</u> , at the back of the intersection of the two sidewalks, approximately 0.2 foot below the surface in a bed of ivy at the Bank of California.
110-A	996.404	City of Colton standard brass disc set in concrete sidewalk at mid-curb at southeast corner of <u>“C” Street</u> and <u>Tenth Street</u> . Set approximately 35 feet east and 35 feet south of the centerline intersection. The initials “B M” are marked on concrete 0.90 feet northwest of the disc.
111	1001.768	City of Colton standard 2 inch brass disc set in concrete at the northwest corner of <u>“C” Street</u> and <u>Seventh Street</u> , in the divider between main thoroughfare and the cul-de-sac, approximately 2.0 feet north of a light standard at the intersection of the sidewalk and a curb drainage inlet, set 0.2 foot below surface. Initials “B M” are painted on top of the sidewalk, 1.0 foot east of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
112	1002.654	City of Colton standard 2 inch brass disc set in the concrete abutment at the southeast corner of the <u>Atchison, Topeka and Santa Fe Railway</u> overpass at " <u>C</u> " Street above the most southerly curb of the main thoroughfare of " <u>C</u> " Street, approximately 9.0 feet north of the south end of the east abutment and 21.0 feet east of the east rail of the railway. Initials "B M" painted on east headwall of the underpass, 6.0 feet south and 4.0 feet east and approximately 20.0 feet above level of street.
C 472 USC & GS	1010.848	A standard USC & GS brass disc 0.4 mile north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station at Colton, 216 feet south of the centerline of " <u>A</u> " Street, 23.2 feet west of the west rail of the west track, 2.4 feet south of telephone pole S11215T with a guy wire, 1.9 feet north of a witness post, and about 1½ feet higher than the track and set in the top of a concrete post projecting 0.3 feet above the ground.
113	1017.241	City of Colton standard 2 inch brass disc set in the northeast corner of a concrete foot of a crossing signal at the southwest corner of <u>Olive Street</u> and the <u>Atchison, Topeka and Santa Fe Railway</u> tracks. Initials "B M" painted 2.0 feet west and 4.0 feet above disc on east side of crossing signal.
113-A	1016.457	City of Colton standard brass disc set in concrete at the base of a traffic light standard at the northwest corner of <u>Olive Street</u> and <u>La Cadena Drive</u> . Set 3.0 feet north of standard marked #53, set approximately 40.0 feet north of 30.0 feet west of the centerline intersection. The initials "B M" are marked on the concrete 0.50 feet east of the disc.
113-B	1009.976	City of Colton standard brass disc set in concrete sidewalk at the southwest corner of <u>Olive Street</u> and <u>Tenth Street</u> . Set 1.00 foot south of curb face, approximately 20 feet south and 40 feet west of centerline intersection. The initials "B M" are marked on the curb 0.90 foot northeast of the disc.
113-C	1012.136	City of Colton standard brass disc set 3.00 feet east of northwest corner of concrete inlet structure on south side of <u>Olive Street</u> and its intersection with <u>Redlands Avenue</u> , approximately 18 feet west and 20 feet south of the intersection, 0.80 foot south of curb face. The initials "B M" are marked on the curb 0.50 foot north of the disc.
113-D	1015.682	City of Colton standard brass disc set in concrete sidewalk at mid-curb of the southwest corner of <u>Mt. Vernon</u> and <u>Olive Street</u> . Set approximately 12 feet west and 6 feet north of light standard. The initials "B M" are marked on concrete 0.80 feet north of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
113-E	1014.891	City of Colton standard brass disc set in the north corner concrete footing of flag pole on the north side of <u>Alice Birney School</u> . Approximately 10 feet south of the south curb on <u>Olive</u> . The initials “B M” are marked on the footing 0.80 foot south of the disc.
B 472	1026.245	A standard USC & GS brass disc set in the top of a concrete post projecting 0.4 foot above the ground, 0.7 mile north along the <u>Atchison, Topeka and Santa Fe railway</u> from the station at Colton, 7½ poles south of milepost 2, 95 feet west of the centerline of <u>Seventh Street</u> , 60½ feet south of the extended centerline of <u>Oak Street</u> , 25.9 feet east of the east rail of the east track, 2.4 feet east of a telegraph pole, 1.9 feet north of a witness post, and about 1 foot higher than the track.
114	1032.619	City of Colton standard 2 inch brass disc set in a concrete slab at the southeast corner of the intersection of <u>Laurel Street</u> and the <u>Atchison, Topeka and Santa Fe Railway Tracks</u> , approximately 25.0 feet west of the centerline of the alley paralleling the tracks south of Laurel Street, 3.0 feet south of the south curb of Laurel Street, and approximately 65.0 feet easterly of the east rail of the tracks. Initials “B M” are painted on top of slab in northwest corner, 1.0 foot south of the disc.
114-A	1028.617	City of Colton standard brass disc set in the southeast corner of inlet structure of <u>Laurel Street</u> on the south side, approximately 170 feet west of the centerline intersection with <u>La Cadena Drive</u> and <u>Bordwell</u> . Set 4.50 feet west and 3.50 feet south of beginning of curb of the curb return from Laurel turning southwest onto La Cadena. The initials “B M” are marked on the inlet structure 0.80 feet west of the disc.
114-B	1026.851	City of Colton standard brass disc set in concrete sidewalk at mid-curb at the northwest corner of <u>Mt. Vernon Avenue</u> and <u>Laurel Street</u> . Set approximately 33 feet north and 40 feet west of the centerline intersection. The initials “B M” are marked on the sidewalk 0.80 feet southeast of the disc.
114-C	1019.309	City of Colton standard brass disc set in concrete sidewalk at mid-curb at southeast corner of <u>Fairview Avenue</u> and <u>Laurel Street</u> . Set approximately 30 feet south and 30 feet east of the centerline intersection. The initials “B M” are marked on the sidewalk 0.80 feet northwest of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
A 472 USC & GS	1042.635	A standard USC & GS brass disc set in the top of a concrete post projecting 0.4 foot above the ground, 0.95 miles north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station at Colton, 2 poles north of milepost 2, 34.8 feet east of the east rail of the east track, 2.8 feet north of a telegraph pole, 1.6 feet south of a witness post, about 4 feet higher than the track.
115	1046.071	City of Colton standard 2 inch brass disc set in the northeast corner of a 2 foot by 2 foot catch basin, approximately 225 feet south of the centerline of <u>Citrus Street</u> on the east side of <u>Eighth Street</u> at the curb line and 20.0 feet north of a railroad spur to the southwest. Initials "B M" are painted on top of the catch basin, 1.0 foot west of disc.
E 39 USC & GS	1048.694	A standard USC & GS brass disc set flush in the ground in the remains of an old bridge abutment, 1.2 miles north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station at Colton, 0.25 mile north of milepost 2, 189 feet north of a signal, 73 feet north of the west leg of a double telegraph pole with four guy wires, 64.2 feet south east of the center of the "Y" junction of a track road leading southwest, 51.5 feet east of a wooden "DERAIL" sign 8.5 feet east of the east rail of the east track, and about 2 feet lower than the track.
SA-207P Dept. Water Resc.	1050.023	Set a standard DWR brass disc in concrete abutment of a railroad bridge, disc stamped "SA-207P 1967" flush with the surface. From the <u>La Cadena Avenue</u> bridge crossing the <u>Lytle Creek Channel</u> , proceed northwesterly 0.4 mile along the east side of the channel to the <u>Atchison, Topeka and Santa Fe Railway</u> bridge crossing the channel. Benchmark is located in the southeast bridge abutment, 1.5 feet east of the east channel wall.
Z 471 USC & GS	1062.937	A standard USC & GS brass disc set in the top of the northeast corner of the concrete base for a signal, 1.3 miles south along the <u>Atchison, Topeka and Santa Fe Railway</u> from the Union Station in San Bernardino, 1.5 miles north of Colton, 3 ½ poles north of the "RANA" siding sign, at the "Y" junction of a spur track curving to the northwest, 12.0 feet east of the east rail of the spur track, 10.4 feet west of the west rail of the main track, about 3 feet above ground, and about 3 feet higher than the tracks.
SA-206P Dept Water Resc.	1071.684	Set a standard DWR brass disc in concrete anchor block stamped "SA-206P 1967", flush with surface. From the Rialto Avenue bridge crossing the <u>Lytle Creek Flood Control Channel</u> , (City of San Bernardino) proceed southeasterly 0.65 mile along service road on east side of channel. Benchmark is located in top of 3 x 3 x 3 foot concrete anchor block of an 18 inch pipeline crossing the channel, 7.0 feet east of channel wall, at the prolongation of <u>Mill Street</u> .

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
116	1078.138	City of Colton standard 2 inch brass disc set in the top of a concrete outlet structure on <u>Mill Street</u> , on north side of north curb, 10.0 feet east of a driveway, approximately 100.0 feet west of <u>Ohio Street</u> . Initials “B M” are painted on top of structure, 1.00 foot northwest of the disc.
117	1080.559	City of Colton standard 2 inch brass disc set in concrete at the northeast corner of the intersection of <u>Penn Lane</u> from the north, <u>Pennsylvania Avenue</u> from the south, and <u>Mill Street</u> , 0.30 foot under the surface, 6.0 feet east of the beginning of curb return, at the west edge of the sidewalk at the address of 413 West Mill Street, approximately 28.0 feet north of the centerline of Mill Street. Initials “B M” are painted on sidewalk, 1.00 feet east of the disc.
117-A	1082.541	City of Colton standard brass disc at the northwest corner of <u>Vermont</u> and <u>Fur Street</u> . Set at mid-curb in concrete sidewalk 30.00 feet north and 30.00 feet west of the centerline intersection, approximately 12.00 feet from faces of curbs marked “B M” on sidewalk 0.80 feet southeast of disc.
117-B	1089.766	City of Colton standard brass disc set at the northwest corner of <u>Vermont</u> and <u>Walters Street</u> . Set at mid-curb in the concrete sidewalk, approximately 30.00 feet north and 30.00 feet west of the centerline intersection, approximately 12.00 feet from faces of curbs. Initials “B M” are marked on sidewalk 0.80 feet southwest of the disc.
117-C	1090.731	City of Colton standard brass disc set at the southeast corner of <u>Pennsylvania</u> and <u>Walters</u> . Set in concrete sidewalk at property line 3.00 feet east of the beginning of the curb return. Initials “B M” are marked on the sidewalk 0.80 feet north of the disc.
118	1082.594	City of Colton standard 2 inch brass disc set in concrete 3.00 feet west of a chain link fence post, at the northwest corner of the intersection of <u>Mill Street</u> and <u>Pennsylvania Avenue</u> from the north, at the address of 549 West Mill Street.
119	1085.625	City of Colton standard 2 inch brass disc set in concrete 9.0 feet north of north curb on <u>Mill Street</u> , approximately 195 feet west of <u>Michigan Street</u> , 5.0 feet west of an angle point in Mill Street, 1.0 foot south of fence and 6.0 feet west of the fence corner.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
120	1110.600	City of Colton standard 2-inch brass disc set in the southeast corner of a concrete inlet structure at the southwest corner of <u>Mill Street</u> and <u>Rancho Avenue</u> , approximately 3.0 feet northeast of a steel traffic signal standard and 1.0 foot west of curblines on Rancho Avenue. Initials "B M" are painted on top of sidewalk, 1.5 feet away from disc.
121	1099.644	City of Colton standard 2 inch brass disc set in the concrete sidewalk at the southwest corner of <u>Rancho Avenue</u> and <u>Louise Street</u> at the approximate midpoint of the curb return, 0.4 foot out from a concrete block wall. Initials "B M" are painted on top of sidewalk. 0.6 foot from disc.
121-A	1094.551	City of Colton standard brass disc set at the northwest corner of <u>Grand Avenue</u> and <u>Johnston Street</u> . Set a mid-curb in concrete sidewalk approximately 30 feet north and 30 feet west of centerline intersection. Approximately 12 feet from faces of curbs. Initials "B M" marked on sidewalk 0.90 feet southeast of disc.
122	1091.643	City of Colton standard 2 inch brass disc set in concrete in back of the intersection of the sidewalks at the southeast corner of the intersection of <u>Rancho Avenue</u> and <u>Johnston Street</u> . 0.2 foot below surface. Initials "B M" are painted on top of sidewalk adjacent to the disc.
122-A	1086.828	City of Colton standard brass disc set in the northeast corner of flagpole foundation on north side of <u>William McKinley School</u> . Approximately 60 feet south of the centerline of <u>Johnston Street</u> . Initials "B M" marked on foundation 0.90 feet south of disc.
122-B	1064.316	City of Colton standard brass disc set in walk at mid-curb of back of sidewalk on the southeast corner intersection of <u>Pennsylvania</u> and <u>Johnston</u> . Initials "B M" are marked on the walk 0.90 feet northwest of the disc.
123	1074.706	City of Colton standard 2 inch brass disc set in concrete in back of the intersection of the sidewalks at the north corner of <u>Rancho Avenue</u> and <u>Citrus Street</u> , 0.1 foot below the surface of the blacktop, approximately 6.0 feet north of the curb on Citrus Street and 15.0 feet west of the curb on Rancho Avenue. Initials "B M" are painted on top of the sidewalk 1.0 foot southeast of the disc.
123-A	1070.097	City of Colton standard brass disc set in walk near the southeast corner of lot (<u>651 Citrus</u>). Approximately 29 feet north of the centerline of Citrus and approximately 85 feet west of the centerline of <u>Penn Court</u> . Initials "B M" are marked 0.90 feet south of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
123-B	1048.764	City of Colton standard brass disc set in walk at the intersection of <u>Citrus</u> and <u>Pennsylvania</u> at the southwest corner. In the north-south walk and the walk curve concave to the southwest. Approximately 8.5 feet west of the power pole #1868437E. Initials "B M" are marked 1.0 foot northeast of the disc.
124	1069.203	City of Colton standard 2 inch brass disc set in the northeast corner of the concrete footing for the flagpole at the <u>Fire Station No. 2</u> at the southwest corner of the intersection of <u>Rancho Avenue</u> and <u>Long Beach Drive</u> .
125	1059.11	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete drainage inlet structure at the northwest corner of the intersection of <u>Rancho Avenue</u> and <u>Laurel Street</u> . Initials "B M" painted on top of structure 1.0 foot west of disc.
125-A	1080.097	City of Colton standard brass disc set in the sidewalk at the intersection back of walk on the southwest corner of <u>Laurel</u> and <u>Grand Avenue</u> . Initials "B M" are marked on the walk 0.9 foot northeast of the disc.
125-B	1066.389	City of Colton standard brass disc set in the southwest corner of the curb inlet south side of <u>Laurel</u> , approximately 45 feet south of portable pump in front of <u>Paul Rogers School</u> . The initials "B M" are marked on top of the inlet box 0.8 foot north of the disc.
125-C	1096.580	City of Colton standard brass disc set in concrete by the southeast fence corner of the chain link fence of the well site east of the Southern Pacific Railroad and northwest of <u>Laurel Street Park</u> metal building marked #17, approximately ¼ mile south of <u>Mill Street</u> 0.1 foot above the surface. Yellow paint is marked on the east side of the fence post
125-D	1078.845	City of Colton standard brass disc set in sidewalk on the southeast corner of <u>Citrus</u> at <u>Grand</u> . Approximately 13 feet east of power pole 3745F, 5.0 feet south of the south curb on Citrus, approximately 1.0 foot north of the corner
125-E	1052.718	City of Colton standard brass disc set in the northeast corner of the flagpole footing on the north side of <u>Colton Junior High</u> , approximately 55 feet south of the centerline of <u>Laurel</u> . Initials "B M" are marked on the footing 0.9 foot southwest of the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
125-F	1034.642	City of Colton standard brass disc set in the northwest corner inlet structure on <u>Pennsylvania</u> on the northeast corner of <u>Laurel</u> and <u>Pennsylvania</u> . Approximately 45 feet north and 21 feet east of the centerline intersection, 10 feet north of the curb at the beginning of the curve on the northeast corner. Initials “B M” are marked on the inlet structure 0.60 foot west of the disc.
126	1052.194	City of Colton standard 2 inch brass disc set in concrete behind the sidewalk (east side) on <u>Rancho Avenue</u> , east side, approximately 10.0 feet north of the projection of <u>Stevenson Street</u> , and 7.0 feet east of curb on <u>Rancho Avenue</u> , 0.1 foot below the surface. Initials “B M” painted on sidewalk 1.0 foot west of disc.
127	1048.790	City of Colton standard 2 inch brass disc set in concrete behind the sidewalk at the approximate midpoint of the curb return, 0.1 foot below the surface, at the southwest corner of the intersection of <u>Rancho Avenue</u> and <u>Olive Street</u> . Initials “B M” painted on top of sidewalk 1.0-foot northeast of disc.
127-A	1031.280	City of Colton standard brass disc set in the northeast corner of concrete sidewalk at the base of the flagpole in front of <u>U.S. Grant School</u> on south side of <u>Olive Street</u> at <u>Serrano Drive</u> . Initials “B M” marked on sidewalk 0.90 foot southwest of disc.
127-B	1019.371	City of Colton standard brass disc set in the northeast corner of the inlet structure at the northwest corner of <u>Olive Street</u> and <u>Pennsylvania Avenue</u> . Set approximately 40 feet west and 22 feet north of the centerline intersection. Initials “B M” marked on concrete 0.90 foot south of the disc.
128	1030.420	City of Colton standard 2 inch brass disc set in the northeast corner of a 3 foot by 3 foot concrete slab at the southwest corner of the intersection of <u>Rancho Avenue</u> and “ <u>B</u> ” <u>Street</u> . Initials “B M” painted on top of sidewalk, 1.5 feet northeast of disc.
129	1025.824	City of Colton standard 2 inch brass disc set in concrete behind the sidewalk at the approximate midpoint of the curb return, approximately 6.0 feet west and 9.0 feet north of power pole No. 3363, at the southwest corner of <u>Rancho Avenue</u> and “ <u>C</u> ” <u>Street</u> , 0.1 foot below the surface. Initials “B M” painted on sidewalk 1.0 foot northeast of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
129-A	1028.398	City of Colton standard brass disc set in concrete sidewalk at the midpoint of the curb at the southeast corner of <u>“C” Street</u> and <u>2nd Street</u> running south of “C” Street. Set approximately 40 feet south and 30 feet east of the centerline intersection. Initials “B M” are marked on concrete 0.80 foot northwest of the disc.
129-B	1005.688	City of Colton standard brass disc set in the northwest corner of concrete inlet structure at the northwest corner of <u>“C” Street</u> and <u>Pennsylvania Avenue</u> . Set 2 feet east of concrete light standard. Set approximately 25 feet north and 40 feet west of the centerline intersection. Initials “B M” marked on concrete 0.80 foot south of disc.
130	1013.018	City of Colton standard 2 inch brass disc set in concrete in back of the curb on the west side of <u>Rancho Avenue</u> at the center of the west concrete pier of the <u>pedestrian overcrossing</u> to the high school, 0.1 foot below the surface, and approximately 50.0 feet north of the centerline of <u>“G” Street</u> . Initials “B M” painted on pier adjacent to the disc.
130-A	1027.273	City of Colton standard brass disc set in the northeast corner of concrete sidewalk at the southwest corner of <u>“F” Street</u> and <u>Third Street</u> . Set approximately 30 feet south and 25 feet west of the centerline intersection. Set 8.0 foot south of the beginning of curve of the curb return on the west side of Third Street. Initials “B M” marked on the concrete 0.90 foot west of the disc.
130-B	992.283	City of Colton standard brass disc set in the northeast corner of concrete sidewalk of <u>Starr Grain and Milling Warehouse</u> at the southwest corner of <u>“F” Street</u> and the <u>Atchison, Topeka and Santa Fe Railway</u> . Set approximately 38 feet south of the centerline of “F” Street, approximately 15 feet west of the right of way line of the Atchison, Topeka and Santa Fe Railway. Initials “B M” marked on concrete 0.50 foot southwest of disc.
130-C	989.486	City of Colton standard brass disc set in concrete sidewalk at the northeast corner of <u>“F” Street</u> and <u>La Cadena Drive</u> . Set 2 feet south and 2 feet west of concrete light standard #24. Set approximately 25 feet east and 40 feet north of the centerline intersection. Initials “B M” marked on concrete 0.50 feet south of disc.
130-D	988.693	City of Colton standard brass disc set in concrete sidewalk at southeasterly corner of <u>“F” Street</u> and <u>Colton Avenue</u> . Set approximately 12 feet east of the beginning of the curve of curb by concrete flower box. Initials “B M” marked on concrete 0.50 foot northwest of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
131	1006.298	City of Colton standard 2 inch brass disc set in the northeast corner of a concrete drainage inlet structure at the north west corner of <u>Rancho Avenue</u> and <u>Valley Boulevard</u> , 3.0 feet south and 4.0 feet east of a traffic signal light standard. Initials "B M" painted on top of structure, 1.0 foot south of disc.
132	999.468	City of Colton standard 2 inch brass disc set in concrete in back of the intersection of the sidewalks at the northwest corner of the intersection of <u>Valley Boulevard</u> and <u>Second Street</u> , approximately 3.0 feet north of the north sidewalk on Valley Blvd., and 1.0 foot west of the west walk on Second Street, used as the entrance to the parking lot of Colton High School, and set 0.1 foot below the surface. Initials "B M" painted on sidewalk, 1.0 foot east of disc.
133	994.005	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete signal block of the <u>Southern Pacific Railroad</u> , approximately 250.0 feet west of <u>Third Street</u> , and 10.5 north of the most northerly rail. Initials "B M" painted directly below the disc.
134	988.796	City of Colton standard 2 inch brass disc set in concrete north of the curb at the north end of the cul-de-sac on <u>Third Street</u> , south of <u>Interstate Highway 10</u> and the <u>Southern Pacific Railroad</u> , 1.5 feet north of the curb and 7.0 feet west of a California Division of Highways brass disc in curb marked "Centerline of Third Street". Initials "B M" painted on curb 1.6 feet south of disc.
135	985.408	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of the intersection of <u>Third Street</u> and " <u>L</u> " <u>Street</u> , 2.0 feet northeast of the corner of a concrete wall, and set 0.2 foot below the surface. Initials "B M" painted on the bottom of the wall, 2.0 feet southwest of the disc.
136	976.174	City of Colton standard 2 inch brass disc set in the southeast corner of a concrete vault for an automatic sprinkler system to the Pacific Chromalox building on the west side of <u>Rancho Avenue</u> , approximately 35.0 feet south of the intersection of <u>Rancho Avenue</u> and " <u>N</u> " <u>Street</u> , and 3.0 feet west of the curb. Initials "B M" painted on the top of the curb, 2.3 feet east of disc.
136-A	977.957	City of Colton standard brass disc set in concrete sidewalk at midpoint of the curb at the northwest corner of " <u>M</u> " <u>Street</u> and <u>Fourth Street</u> . Set approximately 40 feet north and 40 feet west of the centerline intersection. Initials "B M" marked on concrete 0.90 feet southeast of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
137	973.585	City of Colton standard 2 inch brass disc set in concrete at the northeast corner of the intersection of <u>Rancho Avenue</u> and <u>“O” Street</u> , 1.0 foot southwest of a brick fence, 1.0 foot east of the sidewalk return, and 0.1 foot below the surface. Initials “B M” painted on the sidewalk, 1.8 feet west, southwest of disc.
138	968.663	City of Colton standard 2 inch brass disc set in the southwest corner of an east-west sidewalk at the <u>Max Hopkins Paint and Dry Wall Co. Building</u> , address <u>600 South Rancho Avenue</u> , 5.0 feet east of the east curb of Rancho Avenue, 0.2 feet north of a concrete block planter. Initials “B M” painted on top of sidewalk, 1.0 foot west of disc.
139	960.384	City of Colton standard 2 inch brass disc set in the south-west corner of the top of a curb inlet drainage structure, at the southwest corner of the intersection of <u>Rancho Avenue</u> and <u>Georgia Street</u> . Initials “B M” painted on top of structure 0.9 foot east of disc.
16-11 S.B. Co. Surv.	919.499	A San Bernardino County Surveyor’s standard brass disc set in a concrete post at the southeast corner of the intersection of <u>Rancho Avenue</u> and <u>Agua Mansa Road</u> , 30.0 feet south of the centerline of Agua Mansa Road to the east, 6.0 feet southeast of power pole #736348H, 3.0 feet northeast of a 4 inch x 4 inch white marker post, 3.0 feet northwest of a feet chain link fence, and approximately 1.0 foot above the pavement of Agua Mansa Rd.
140	907.675	City of Colton standard 2 inch brass disc set in concrete at the southeast corner of the intersection of <u>Rancho Avenue</u> and <u>Fogg Street</u> , 1.0 foot north of fence, approximately 12.0 feet south of the end of the curb return on Fogg Street, and about 0.2 foot below the surface.
141	917.384	City of Colton standard 2 inch brass disc set in the southeast corner of the top of a 4 foot x 4 foot water meter vault in the northwest corner of the intersection of <u>Fogg Street</u> and <u>La Cadena Drive</u> . Initials “B M” painted on top of vault 1.5 feet west of disc.
141-A	929.873	City of Colton standard disc set in the southwest corner of concrete inlet structure at the northwest corner of <u>Congress Street</u> and <u>Fifth Street</u> . Set approximately 35 feet north and 20 feet west of the centerline intersection. Initials “B M” marked on concrete 0.80 feet east of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
201	978.757	City of Colton standard 2 inch brass disc set in concrete sidewalk at the northeast corner of <u>Valley Blvd.</u> and <u>La Cadena Drive</u> , 0.50 feet north of curb and 10.00 feet east of end of curb return south of west air vent to electric vault in westbound lane of Valley Blvd. Initials “B M” painted on top of curb 6.0 foot south of disc.
202	977.885	City of Colton standard 2 inch brass disc set in concrete at the northwest corner of <u>Valley Blvd.</u> and <u>Ninth Street</u> in the west of curb return and a concrete light standard, and 1.00 foot north of curb. Painted initials “B M” on top of curb 1.0 foot south of disc.
203	976.745	City of Colton standard 2 inch brass disc set in concrete at the northwest corner of <u>Valley Blvd.</u> and <u>Tenth Street</u> in the southeast corner of inlet structure, approximately 12.0 feet west of curb return and a concrete light standard and one foot north of curb. Initials “B M” painted on top of curb 1.0 foot south of disc.
204	979.699	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of Tenth street and “H” Street in the northeast corner of the inlet structure approximately 15.0 feet south of curb return and a concrete light standard and 1.0 foot west of curb. Initials “B M” painted on top of curb 0.8 foot east of disc.
205	983.722	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of Tenth Street and “G” Street in the southwest corner of inlet structure approximately 9.0 feet south of concrete light standard and 1.0 feet west of curb. Initials “B M” painted on top of curb east of disc.
W-975 USC & GS	990.551	At Colton, at the junction of <u>Colton Avenue</u> and “ <u>E</u> ” Street, 97 feet north-northwest of the center of the junction, 63 feet north of the centerline of the street, in the top of the west corner of a concrete catch basin along an asphalt street paralleling the northwest side of the Pacific Electric Railway, 19 feet northwest of the centerline of the street, 9.7 feet southeast of the southeast corner of a house, and about level with sidewalk. Initials “B M” painted on top of catch basin 0.9 foot southeast of disc.
206	995.299	City of Colton standard 2 inch brass disc set in concrete in the back of the intersection of sidewalks at the northwest corner of <u>Colton Avenue</u> and “ <u>C</u> ” Street, 0.10 foot below the surface of sidewalk. Initials “B M” painted on top of sidewalk 1.3 feet north of disc.


City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
X-975 USC & GS	1000.298	At Colton, at the junction of <u>Colton Avenue</u> and <u>Mt. Vernon Avenue</u> , in the top of the north corner of a concrete catch basin, 42 feet west of the center line of an asphalt street, and about ½ foot higher than the avenue. Initials “B M” painted on top of catch basin 1.0 foot south of disc.
207	1006.128	City of Colton standard 2 inch brass disc set in concrete in back of intersection of sidewalks at the southwest corner of <u>Larch Avenue</u> and <u>Colton Avenue</u> , set approximately 0.4 foot below surface of sidewalks. Initials “B M” painted on top of sidewalk 1.0 foot northwest of disc.
208	1010.921	City of Colton standard 2 inch brass disc set in concrete at east side of <u>Fairview Avenue</u> and north side of <u>Colton Avenue</u> at the corner of a chain link fence and approximately 0.1 foot below surface of ground. Initials “B M” painted on top of sidewalk 2.0 feet west of disc.
209	1013.009	City of Colton standard 2 inch brass disc set in approximate center of irregularly shaped concrete base at back of north curb of <u>Colton Avenue</u> and approximately 100 feet east of the center line of <u>Florence Avenue</u> . Initials “B M” painted on top of base, 0.8 foot southeast of disc.
Y-975 USC & GS	1011.911	At Colton, 0.6 miles northeast along Colton Avenue from the junction of <u>Mount Vernon Avenue</u> and <u>Colton Avenue</u> , 0.05 mile northeast of the junction of <u>Coburn Street</u> , at the crossing of <u>Lytle Creek Channel</u> , in the top of the southeast end of the northeast concrete retaining wall of the southeast spillway, 46 feet southeast of the centerline of the avenue, 3.6 feet southwest of the north fence corner, 1.2 feet northwest of the southeast end of the all, 0.8 feet northeast of a fence, and about 6 feet lower than the avenue. Initials “B M” painted on side of spillway wall directly below disc.
210	1005.024	City of Colton standard 2 inch brass disc set in concrete wall on the west side of <u>Lytle Creek Channel</u> at the prolongation of the approximate centerline of <u>Wildwood St.</u> , approximately 40.0 feet north of a Department of Water Resources reference mark set in the west wall of the channel. Initials “B M” painted on top of channel wall 0.6 foot southeast of disc.
211	1013.814	City of Colton standard 2 inch brass disc set in the east wall of a concrete drainage inlet on the south side of the <u>Lytle Creek Channel</u> at the prolongation of <u>Olive Place</u> , 4.00 feet south of a Department of water Resources reference mark. Initials “B M” painted on top of wall of drainage inlet structure, 0.6 foot southwest of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
212	1015.575	City of Colton standard 2 inch brass disc set in the east wall of a concrete drainage inlet structure on the south side of the <u>Lytle Creek Channel</u> at the prolongation of <u>Bothwell Avenue</u> , approximately 6.0 feet south of the fence. Initials “B M” painted on top of easterly wall of structure 0.6 foot south of disc.
213	1016.856	City of Colton standard 2-inch brass disc set in the south wall of the <u>Lytle Creek Channel</u> at approximately 6.0 feet east of the prolongation of the centerline of <u>Fairview Ave.</u> Initials “B M” painted on top of wall, 0.6 foot west of disc.
SA-208P Dept Water Res.	1032.093	Set standard DWR brass disc in concrete bridge abutment stamped “BM SA 208P 1967”, flush with surface. BM is located in the northwest abutment of the <u>Mt. Vernon Avenue</u> bridge crossing the <u>Lytle Creek Flood Control Channel</u> , 32.0 feet west of centerline of Mt. Vernon Avenue. Initials “B M” painted on sidewalk east of disc.
214	1038.525	City of Colton standard 2 inch brass disc set in the south end of a concrete inlet structure on the east side of <u>Mt. Vernon Avenue</u> , at the northeast corner of intersection of <u>Mt. Vernon Avenue</u> , <u>Grant Avenue</u> , and <u>La Cadena Drive</u> . Initials of “B M” painted on sidewalk 1.0 foot east of disc.
214-A	1041.820	City of Colton standard brass disc set in concrete sidewalk at midpoint of the curb at northwest corner of <u>Fairview Ave.</u> and <u>Grant Street</u> , east of Valley College parking lot. Set approximately 45 feet north and 30 feet west of centerline intersection. Initials “B M” marked on sidewalk 0.80 feet south of disc.
215	1063.165	City of Colton standard 2 inch brass disc set in the concrete sidewalk at the back side of the approximate midpoint of the curb return at the southwest corner of intersection Mt. Vernon Avenue and Johnston Street. Initials “B M” painted on sidewalk 0.4 foot north of disc.
Union RM 3 USC & GS	1062.295	A standard USC & GS brass disc set in concrete on the <u>San Bernardino Valley Junior College</u> campus, at the northeast corner of <u>Life Sciences Building</u> , 3.2 feet south of the south edge of a sidewalk, 2.1 feet east of the northeast corner of the building, about level with the sidewalk, and projecting 0.2 foot above ground. Stamped “UNION AZIMUTH NO. 3, 1934:
216 Reset 1973	1051.956	City of Colton standard 2 inch brass disc set in the curb 20 feet north of the centerline of <u>Johnston</u> and approximately 1.0 foot west of the centerline of <u>Jantzen</u> .

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
217	1052.430	City of Colton standard 2 inch brass disc set in concrete in back of the intersection of two sidewalks, at the intersection of <u>Johnston Street</u> and <u>Bordwell Avenue</u> , in the southeast corner of the intersection. Initials "B M" painted on the sidewalk 1.0 foot west of disc.
217-A	1038.288	City of Colton standard brass disc set on the northeast corner of concrete wing wall of an inlet structure drain into <u>Lytle Creek</u> , south of centerline intersection of <u>Citrus Street</u> and <u>Bordwell Avenue</u> , approximately 130 feet south. Initials "B M" marked on concrete 0.90 feet southwest of disc.
703-2 S.B. Co. Surv.	909.840	A standard San Bernardino County Surveyor's brass disc set in the top of the north abutment of a steel girder bridge crossing <u>the Santa Ana River</u> , 1.7 miles south along the <u>Atchison, Topeka and Santa Fe Railway</u> from the station at Colton, 6 ½ feet west of the west rail, 117 feet east of the centerline of the northbound lane of La Cadena Drive, 4.6 feet below the tracks. Initials "B M" painted on west side of the abutment, directly below the disc.
Q-449 USC & GS	923.572	A standard USC & GS brass disc set in the top of a concrete post projecting 0.4 foot above the ground, 1.55 miles north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the crossing of Center Street at Highgrove, 2 ½ poles south and across the track from mile post 5, 51.3 feet east of the centerline of the east lanes of La Cadena Drive, 41.5 feet west of the west rail, 41 ½ feet north of the extended centerline of <u>Litton Avenue</u> , 29.2 feet southwest of the southwest corner of a small wooden platform for motor car set-off, 1 1/2 feet north of a witness post, and about 3 feet higher than the track.
301	911.747	City of Colton standard 2 inch brass disc set in the concrete footing, at the northwest corner of the northwest leg of the most southerly line of the <u>Southern California Edison</u> electric towers, in the first tower east of the most easterly line of tracks of the Southern Pacific Railroad. The SCE tower can be identified by the designation " <u>15</u> " in black background with yellow letters  Initials "B M" painted on north and west faces of the west leg of the tower, 3.0 feet above the disc.
302	911.271	City of Colton standard 2 inch brass disc set in the concrete footing at the northwest corner of the northwest leg of the <u>Southern California Edison Tower</u> No. 121214 in the north line of towers at the base of the bluffs on the lands of the <u>Cooley Ranch</u> west of <u>Mt. Vernon Avenue</u> . Initials "B M" painted on north and west faces of the northwest leg of the tower, 2.9 feet above the disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
303	919.515	City of Colton standard 2 inch brass disc set in the concrete footing at the northwest corner of the northwest leg of the <u>Southern California Edison</u> tower no 121217, in north line towers, at the base of the bluffs on the lands of the <u>Cooley Ranch</u> , north of the <u>Riverside Freeway</u> , and west of <u>Mt. Vernon Avenue</u> . Initials “B M” painted on north and west faces of the northwest leg of the tower 3.0 feet above the disc.
304	932.028	City of Colton standard 2 inch brass disc set in the north end of a concrete headwall at the northeast corner of <u>Mt. Vernon Avenue</u> intersection with the <u>Washington Street Overpass</u> of the Riverside Freeway. Initials “B M” painted on top of the headwall, 0.4 foot north of disc.
305	936.032	City of Colton standard 2 inch brass disc set in the concrete curb on the west side of the <u>Brookside Winery Tasting Room</u> , approximately 35.0 feet south of the winery and 10.0 feet north of the southwest corner of the parking lot and 6.0 feet northeast of power pole No. 3780F. Initials “B M” painted on top of curb, 0.9 feet northwest of disc.
306	982.338	City of Colton standard 2 inch brass disc set in concrete on the north side of <u>Washington Street</u> , 0.5 foot north of curb on the north side of the street, and 20.0 feet west of an unpaved street running north, 3.0 feet east of a fire hydrant, 3.0 feet west of power pole No. 1571512E, and 0.1 foot below the surface.
307	1007.345	City of Colton standard 2 inch brass disc set in concrete at the southeast corner of the <u>Washington Street</u> intersection with <u>Walton Street</u> , 1.0 foot in back of the sidewalk at the approximate midpoint of the curb return, 6.0 feet south of power pole No. 336591E, and 0.1 foot below the surface. Initials “B M” painted on sidewalk, 1.9 feet north, northwest of disc.
308	1039.167	City of Colton standard 2 inch brass disc set in the concrete headwall of the <u>Gage Canal</u> on the south side of <u>Washington Street</u> and east of <u>Barton Road</u> , and 22.0 feet east of power pole No. 827745E. Initials “B M” painted on vertical face of headwall, 0.7 foot north of disc.
309	1034.234	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete drainage inlet structure in the center median of <u>Barton Road</u> on the west side of the <u>Hunt’s Lane</u> and the <u>Reche Canyon Road</u> intersection with Barton Road, approximately 150 feet northwest of power pole No. 1420571E. Initials “B M” painted on top of structure 0.8 foot north of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
310	992.267	City of Colton standard 2 inch brass disc set in concrete 2.0 feet east of pwer pole no. 981967E at the southwest corner of the intersection of <u>Hunt's Lane</u> and <u>Cooley Lane</u> , 0.1 foot below the surface.
G 570 Reset 1944 USC & GS	990.654	A standard USC & GS brass disc set in the top of the southeast concrete wing wall for an 18-inch iron pipe culvert under the <u>Southern Pacific Railroad Co.</u> tracks, 1.5 miles west of the freight station at Loma Linda, 46.5 feet west of the center line of Hunt's Lane, about 150 feet east of mile post no. 541, 10.2 feet south of the south rail of the main track, 18.00 inches below the base of the rails, 47.90 feet southeast of railroad crossing signal and
706-2 S.B. Co. Surv.	978.401	A standard San Bernardino County Surveyor's brass disc set in a 30 inch x 36 inch concrete base for a double signal stand, 1.8 miles east along the <u>Southern Pacific Railroad</u> tracks from the station at Colton, 8.3 feet north of north rail of north track, and 0.2 foot below track. Approximate center and 100 feet plus or minus south of grainery.
P 516 USC & GS	961.222	A standard USC & GS brass disc set in the top of a concrete post projecting 0.6 foot above the ground, 1.3 miles east along the <u>Southern Pacific Railroad Company</u> tracks from the station at Colton, about 90 yards east of the west end of an ice loading platform (platform has been removed) 17.6 feet south of the south rail of the main track, 15.5 feet north of the north rail of a side track, 2.4 feet east of a round telephone booth, 2.0 feet west of a witness post and about ½ foot lower than the track.
W-71 Reset	955.623	A standard USC & GS brass disc set in the top of the south end of the west concrete abutment of a steel truss bridge over the <u>Santa Ana River</u> , 1.0 miles east along the <u>Southern Pacific Railroad Company</u> tracks from the station at Colton, 8.0 feet south of the south rail of the south track, and about level with the track.
311	953.792	City of Colton standard 2 inch brass disc set in the concrete headwall at the northwest corner of the intersection of <u>Indian Knoll Road</u> and <u>Mission Street</u> , approximately 10.0 feet west of power pole No. 1615939E, set in the west side of the headwall. Initials "B M" painted on top of headwall, 0.9 foot east of disc.
312	964.828	City of Colton standard 2 inch brass disc set in concrete 1.0 foot south of a chain link fence on the south right of way line of <u>Interstate 10 Freeway</u> , 30.0 feet west of a chain link fence on the west property line of <u>Indian Knoll Road</u> , 2.0 feet east of a fence post painted yellow, and 0.1 foot below the surface.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
313	970.650	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete drainage inlet structure at the northwest corner of the intersection of <u>Mt. Vernon Avenue</u> and <u>Valley Blvd.</u> , 1.0 foot northeast of a 4 inch pipe filled with concrete, approximately 60.0 feet north of Valley Blvd. initials "B M" painted on top of structure 0.8 foot east of disc.
314	975.804	City of Colton standard 2 inch brass disc set in concrete in the southwest corner of the intersection of <u>Mt Vernon Avenue</u> and " <u>G</u> " <u>Street</u> , at the front intersection of two sidewalks, 1.0 foot north and 1.0 foot west of the sidewalk intersection, and 0.1 foot below the surface. Initials "B M" painted on top of sidewalk, 0.8 foot east of disc.
315	979.350	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of the intersection of <u>Mt. Vernon Avenue</u> and " <u>F</u> " <u>Street</u> , 1.0 foot north and 1.0 foot west of the intersection of the sidewalks, and 9.0 feet north of a concrete block building, set 0.2 foot below the surface. Initials "B M" painted on top of sidewalk, 1.6 feet south of disc.
315-A	966.804	City of Colton standard brass disc set in concrete sidewalk at midpoint of the curb at southeast corner of <u>Fairway Drive</u> and <u>Sperry Drive</u> . Set approximately 40 feet south and 30 feet east of the center line intersection. Initials "B M" marked on concrete 0.90 feet south of disc.
315-B	956.778	City of Colton standard brass disc set in concrete approximately 0.60 miles east of <u>Mt. Vernon Avenue</u> on <u>Fairway Drive</u> . Set approximately 35 feet south of the centerline, 2.0 feet north of Guy Pole #1893545E, east of Santa Ana River, set 0.10 foot below surface. Initials "B M" marked on Guy Pole 1.00 foot above disc.
Q 527 USC & GS	980.411	Standard USC and GS brass disc set in the top of the north end of the west concrete sidewalk of bridge 54-06 over the Santa Ana River at the "T" intersection of " <u>E</u> " <u>Street</u> from the north and <u>Fairway Drive</u> from the west, 23.3 feet west of the centerline of "E" Street and about ½ foot higher than the street.
315-C	992.491	City of Colton standard brass disc set in concrete base of steel light standard at the northwest corner of <u>Hunts Lane</u> and <u>Steel Road</u> . Set approximately 4 feet north and 2 feet west of beginning of curve of curb on north side Steel Road. Initials "B M" marked on steel standard 1.0 foot above disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
316	982.990	City of Colton standard 2 inch brass disc set in concrete 1.0 foot south of the curb on the west right of way line of <u>Mt. Vernon Avenue</u> , 6.0 feet east of the beginning of the curb return on " <u>E</u> " <u>Street</u> , and 0.2 foot below the surface.
317	991.171	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete porch of a building on the east side of <u>Mt. Vernon Avenue</u> , at the easterly extension of " <u>C</u> " <u>Street</u> from the west. Building address is 806 North Mt Vernon Avenue. Initials "B M" painted on sidewalk, 1.6 feet west of disc.
317-A	994.013	City of Colton standard brass disc set in concrete curb at southeast corner of " <u>C</u> " <u>Street</u> and <u>Ivy Avenue</u> , in front of George Washington School 1.0 foot south of south edge of entrance walk. Set approximately 30 feet east and 10 feet south of centerline intersection. Initials "B M" marked on concrete curb 0.8 foot north of disc.
317-B	994.399	City of Colton standard brass disc set in southeast corner of concrete inlet structure on south side of <u>Shasta Drive</u> , approximately 100 feet west of centerline intersection with <u>Iowa Avenue</u> in curve concave to the northwest. Initials "B M" marked on concrete 0.90 foot north of disc.
317-C	997.431	City of Colton standard brass disc set in concrete sidewalk at southwest corner of <u>Kansas Avenue</u> and <u>Scenic Drive</u> . Set at mid-point of curb 1.0 foot from steel corner post of chain link fence on property line. Marked "B M" on concrete 0.9 foot east of disc.
317-D	998.229	City of Colton standard brass disc set in north end of concrete headwall of 18 inch culvert at the northeast corner of <u>Scenic Drive</u> and <u>Western Avenue</u> . Initials "B M" marked on face of headwall 0.3 foot below disc.
401	1116.741	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete base for a light pole at the northwest corner of the intersection <u>Mill Street</u> and <u>Iris Street</u> . Initials "B M" painted on top of curb 0.8 foot south of disc.
402	1165.159	City of Colton standard 2 inch brass disc set in the northeast corner of the sidewalk at the southeast corner of the <u>Mill Street</u> overcrossing bridge of the <u>Southern Pacific Railroad Company's</u> tracks. (Palmdale Cut-off). Initials "B M" painted on vertical face of sidewalk (bridge) 0.6 foot north of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
403	1147.183	City of Colton standard 2 inch brass disc set in the southwest corner of concrete base of <u>California Electric Power</u> tower #121055 at the southwest corner of <u>Mill Street</u> and <u>Meridian Avenue</u> , approximately 7.0 feet northeast of the chain link fence surrounding a San Bernardino County Flood Control District settling basin
403-A	1116.353	City of Colton standard brass disc set in concrete, approximately 210 feet north of dirt road on <u>Citrus Street</u> alignment and on west side of <u>Meridian Avenue</u> . Set 2 feet east of power pole #1947356E. Initials “B M” marked on east side of power pole 1.5 feet above disc.
404	1166.056	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete headwall at the southeast corner of the intersection of Mill Street and Pepper Avenue. Initials “B M” painted on top of headwall of the inlet structure, 0.8 foot north of disc.
405	1173.944	City of Colton standard 2 inch brass disc set in the southwest corner of the concrete base of a California Electric Power Company tower designated as PF#7, at the approximate high point of <u>Pepper Avenue</u> and of the electric towers, approximately 0.3 miles south of the intersection the <u>Mill Street</u> and Pepper Avenue. Initials “B M” painted on the southwest standard of tower, 1.7 feet above and slightly to the right of the disc.
406	1078.170	City of Colton standard 2 inch brass disc set in concrete at the approximate midpoint of the curb return at the southwest corner of <u>Pepper Avenue</u> and <u>Olive Street</u> (San Bernardino Avenue), 0.2 foot southwest of curb and 0.1 foot below surface. Initials “B M” painted on top of curb, 0.6 foot northeast of disc.
406-A	1088.897	City of Colton standard brass disc set in concrete sidewalk at mid-curb at southeast corner of <u>Meridian Avenue</u> and <u>Olive Street</u> . Set approximately 30 feet south and 30 feet east of centerline intersection. Initials “B M” marked on sidewalk 0.9 foot northwest of disc.
406-B	1058.878	City of Colton standard brass disc set in concrete outlet structure of north side of <u>Olive Street</u> at approximately 65 feet east of underpass to <u>Southern Pacific Railroad</u> . Set at back of sidewalk 5 feet north of curb. Initials “B “M marked on concrete 0.9 foot south of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
406-C	1051.851	City of Colton standard brass disc set in concrete curb at southeast corner of <u>Olive Street</u> and <u>Cypress Avenue</u> . Set 0.6 foot east of beginning of curve on south side of Olive Street, approximately 40 feet east of centerline intersection. Initials “B M” marked on concrete curb north face 0.4 foot below disc.
406-D	1046.709	City of Colton standard brass disc set in concrete sidewalk at northwest corner of <u>Olive Street</u> and <u>Grand Avenue</u> . Set approximately 8 feet east of beginning of curve on north side of Olive Street, approximately 30 feet west of centerline intersection, 1.2 feet north of curb face. Initials “B M” marked on curb 1.0 foot southeast of disc.
407	1067.730	City of Colton standard 2 inch brass disc set in the southeast corner of a concrete catch basin at the northwest corner of the intersection of <u>Pepper Avenue</u> and <u>Valley Blvd.</u> , approximately 7.0 feet south and 2.0 feet east of cleanout cover. Initials “B M” painted on top of curb. 0.9 foot east, southeast of disc.
15-3	1069.178	1.5 miles west along Valley Blvd. from the Colton Post Office at the Pepper Avenue off and on-ramp to Interstate Freeway 10, 46 feet south of the centerline of <u>Valley Blvd.</u> , 128 feet west of the centerline of <u>Pepper Avenue</u> , 18 feet west and 57 feet north of the northwest corner of a 6 foot chain link fence on State Highway right of way, set a standard brass disc in top of curb. 1.0 foot east of the east driveway to a service station.
408	1037.749	City of Colton standard 2 inch brass disc set in the concrete sidewalk at the northwest corner of the intersection of Valley Blvd. and Meridian Avenue, at the approximate beginning of the curb return on Valley Blvd., 2.0 feet southeast of power pole #3532F, approximately 66.0 feet north of the centerline of Valley Blvd. Initials “B M” painted on the top of curb 0.8 foot east of disc.
408-A	1077.457	City of Colton standard brass disc in northeast corner of sidewalk at mid-curb at “ <u>C</u> ” <u>Street</u> and <u>Meridian Avenue</u> . Set approximately 30 feet north and 30 feet east of centerline intersection. Initials “B M” marked on concrete sidewalk 0.80 feet southwest of disc. Disc set 0.50 feet from block wall to Hermosa Cemetery.
408-B	1045.706	City of Colton standard brass disc set in concrete sidewalk on the south side of the Southern Pacific Railroad underpass centerline on “ <u>C</u> ” <u>Street</u> . Set 0.50 foot north of south abutment. The initials “B M” marked on cement abutment 0.70 foot above sidewalk.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
408-C	1034.376	City of Colton standard brass disc set concrete curb at southeast corner of <u>"C" Street</u> and <u>Cypress Street</u> . Set 1.0 foot east of beginning of curve on south side of "C" Street. Set approximately 30 feet east and 18 feet south of centerline intersection. Initials "B M" marked on concrete curb 0.7 foot west of disc.
408-D	1030.769	City of Colton standard brass disc set in northeast corner of concrete inlet structure at the northwest corner of <u>"C" Street</u> and <u>Grand Avenue</u> . Set approximately 40 feet north and 40 feet west of centerline intersection, 4 feet north of curb face at beginning of curve on north side of "C" Street. Initials "B M" marked on concrete 0.80 foot south of disc.
15-2 S.B. Co. Surv.	1028.193	1.0 mile west along Valley blvd. from the Colton Post Office, at the "T" intersection of <u>Hermosa Avenue</u> and <u>Valley Blvd.</u> , 48 feet north of the centerline of Valley Blvd., 38 feet west of the centerline of Hermosa Avenue, 2.0 feet south of power pole #3649Fm 3.0 feet east of the west end of the curb return, set a drive pin with San Bernardino County Surveyor's tag in top of curb.
409	1026.494	City of Colton standard 2 inch brass disc set in the concrete sidewalk at the northeast return, at the north edge of the sidewalk, at the northeast corner of the intersection of <u>Valley Blvd.</u> and <u>Hermosa Avenue</u> , about 36.0 feet west of the abutment of the <u>Southern Pacific Railroad</u> Company tracks of the Palmdale cut-off. Initials "B M" painted on top of curb, 4. Feet south of disc.
410	1009.709	City of Colton standard 2 inch brass disc set in the southeast corner of a drainage inlet structure at the northeast corner of the intersection of <u>Valley Blvd.</u> and <u>Cypress Avenue</u> , approximately 50.0 feet east of the centerline of Cypress Avenue. Initials "B M" painted on top of structure 0.9 foot south of disc.
411	1009.496	City of Colton standard 2 inch brass disc set in the southwest corner of the intersection of <u>Valley Blvd.</u> and <u>Grand Avenue</u> , approximately 40.0 feet north of the centerline of Valley Blvd. Initials "B M" painted on top of inlet structure, 0.3 foot west of disc.
15-1	1004.894	0.5 mile west along <u>Valley Blvd.</u> from the Colton Post Office, at the southeast corner of Valley Blvd. and <u>Rancho Avenue</u> , 54 feet south of the centerline of Valley Blvd., 33 feet east of the centerline of Rancho Avenue, across the street from the Colton High School, set a brass disc in top of curb, on the southeast corner of a 3 foot x 3 ½ foot drop-in drainage box.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
501	1074.443	City of Colton standard 2 inch brass disc set in the concrete sidewalk on the southside of <u>Valley Blvd.</u> , west of <u>Eucalyptus Avenue</u> , 1.0 foot north of a chain link fence corner at the northeast corner of the MacLin-Caldwell Auction property. Initials "B M" painted on sidewalk, 1.0 foot north of disc.
15-4	1070.856	2.0 miles west along Valley Blvd. from the Colton Post Office, at the southeast corner of the intersection of <u>Acacia Avenue</u> and <u>Valley Blvd.</u> , 22 feet east of the centerline of Acacia Avenue and 42 feet south of the centerline of right of way of Valley Blvd., and 2 feet west of power pole #1371579E, set a drive pin with a San Bernardino County Surveyor's tag in the top of curb, 7 feet north of the south end of the curb return.
502	1070.912	City of Colton standard 2 inch brass disc set in the concrete sidewalk at the southeast corner of <u>Valley Blvd.</u> and <u>Acacia Avenue</u> , 2.0 feet northwest of power pole #1371579E and 1.0 foot southeast of curb. (B.M. 502 is set approximately 0.5 foot east of San Bernardino Surveyor's B.M. #15-4).
503	1063.808	City of Colton standard 2 inch brass disc set in the northeast corner of a concrete drainage inlet structure on the north side of <u>Valley Boulevard</u> at its intersection with <u>Sycamore Street</u> . 10.0 feet west of the centerline of Sycamore Street. Initials "B M" painted on top of structure 0.7 foot east of disc.
504	1040.445	City of Colton standard 2 inch brass disc set in a 2.0 feet square concrete base on the east side of Sycamore Street, approximately 20.0 feet south and 30.0 feet east of the centerline intersection of <u>Sycamore Avenue</u> and <u>Cameron Way</u> , 4.0 feet west of power pole #1211187E, 2.5 feet southwest of a 3 inch by 3 inch post painted yellow.
505	1014.898	City of Colton standard 2 inch brass disc set in the southwest corner of a concrete slab base of a sign at the northeast corner of the intersection of <u>Riverside Avenue</u> and <u>Slover Avenue</u> , approximately 50.0 feet north and 50.0 feet east of the centerline intersection, 15.0 feet northeast of power pole #1630099e at the approximate midpoint of the curb return. Initials "B M" painted on sign footing, 0.7 foot east of disc.
506	998.907	City of Colton standard 2 inch brass disc set in concrete at the approximate midpoint of the curb return at the northeast corner of the intersection of <u>Riverside Avenue</u> and <u>Santa Ana Avenue</u> , 0.1 foot below the surface and .0 feet west of power pole #1265300E. Initials "B M" painted on top of curb, 1.5 feet southwest of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
507	978.145	City of Colton standard 2 inch brass disc set in concrete on the west side of <u>Riverside Avenue</u> opposite the “T” intersection with <u>Jeraldo Avenue</u> , 1.0 foot east of power pole #1480887E at northerly intersection with <u>Jeraldo Avenue</u> .
508	919.113	City of Colton standard 2 inch brass disc set in concrete approximately 100.0 feet south of <u>Riverside Avenue</u> intersection with <u>Jeraldo Avenue</u> ’s southerly projection, on the east side of Riverside Avenue, 2.0 feet west of California Electric power pole #212713 which is guyed on the west by power pole #1825386. Disc is set 0.1 foot below the surface.
16-7 S.B. Co. Surv.	891.161	1.0 mile south and 2 ¾ miles west along Agua Mansa Road from the Southern Pacific Railroad Depot to the intersection of <u>Riverside Avenue</u> and <u>Agua Mansa Road</u> , set brass disc in north end of the east headwall over open concrete lined water canal, at the entrance to Owl Service Rock, 290 feet west of the centerline of Riverside Avenue, 45 feet north of the centerline of Agua Mansa Road and about 1.0 foot above the pavement.
509	871.310	City of Colton standard 2 inch brass disc set in concrete at the first post westerly of west chain link fence corner of entrance to <u>Hopkins Horse Ranch</u> , at 660 <u>Agua Mansa Road</u> , approximately 0.50 mile easterly of the intersection of Riverside Drive and Agua Mansa Road, 100.0 feet west of power pole #909409E, and 0.2 foot below the surface.
16.8 S.B. Co> Surv.	871.838	1.0 mile south and 2.2 miles southwest along <u>Agua Mansa Road</u> from the Southern Pacific Railroad Depot in Colton, 0.5 mile northeast from the intersection of <u>Riverside Avenue</u> , set R.R. spike in power pole #909409E, 17 feet southerly of the centerline of Agua Mansa Road and east side of a dirt road at entrance to <u>Hopkins Horse Ranch</u> .
16-9 S.B. Co. Surv.	877.56	1.0 mile south and 1.65 miles southwest along <u>Agua Mansa Road</u> from the Southern Pacific Railroad Depot at Colton, 1.05 miles easterly from the intersection of <u>Riverside Avenue</u> , at the entrance to the <u>Dunn Horse Ranch</u> , in the center of twin dirt roads set brass disc in concrete post 160 feet south of the centerline of Agua Mansa Road, 3 feet north of power pole #476781E and 5 feet south of a white 4 inch x 4 inch marker.
510	884.873	City of Colton standard 2 inch brass disc set in concrete on the south side of <u>Agua Mansa Road</u> , approximately 1.5 miles east of the intersection with <u>Riverside Avenue</u> , 2.0 feet south of guy pole #793444H, 0.2 foot below surface. Approximately 100 feet west of power pole #1811582E, which is San Bernardino County Surveyor’s B.M. #16-10.)

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
16-10	886.964	1.0 mile south and 1.0 mile west along <u>Agua Mansa Road</u> from the Southern Pacific Railroad Depot at Colton, 0.65 mile southwest of <u>Rancho Avenue</u> , set a R.R. spike in power pole #1811582E on a long curve, 43 feet north of the centerline of Agua Mansa Road and 69 feet north of the north bank of the Santa Ana wash.
601	848.902	City of Colton standard 2 inch brass disc set in concrete on the east side of <u>Riverside Avenue</u> , approximately 0.5 mile south of its intersection with <u>Agua Mansa Road</u> , 2.0 feet west of guy pole #1931519E, 20.0 feet west of chain link fence of the <u>Moveland Animal Park</u> . 0.2 foot below the surface.
602	845.255	City of Colton standard 2 inch brass disc set in concrete on the east side of <u>Riverside Avenue</u> , south of a dirt driveway on the south side of the <u>Santa Ana River Flood Control Channel Dike</u> , approximately 60.0 feet east of power pole of the Vista-Riverside 66KV line, set about 0.2 foot below the surface, with a witness post painted yellow 1.0 foot west of disc.
603	844.680	City of Colton standard 2 inch brass disc set in the northeast corner of a concrete weir box at the southwest corner of the junction of the northerly end of <u>Pellisier Road</u> and a private road leading west to a farm house, approximately 22.0 feet south of power pole #639474 E and 22.0 feet north of power pole #639473.
604	850.886	City of Colton standard 2 inch brass disc set in the west wingwall of the <u>Lake Cadena Flood Control Channel</u> at its intersection with <u>Pellisier Road</u> , approximately 30.0 feet northwest of power pole #729908H and 25.0 feet south of a gate to the road on the north dike of the channel.
605	870.238	City of Colton standard 2 inch brass disc set in northwest corner of a concrete drive leading to space #95 of the <u>Lake Cadena Trailer Park</u> , on the south side of street, 1.0 foot south of concrete gutter, 1.0 foot north of a fire hydrant, approximately 300 feet east of the intersection of the street running north across flood control channel and east of high voltage power station.
606	911.609	City of Colton standard 2 inch brass disc set in the nose of the concrete divider on the south side of the entrance to <u>La Cadena Drive</u> from the <u>Lake Cadena Trailer Park</u> , approximately 90.0 feet southwest of power pole #1407152E on east side of La Cadena Drive, and 120.0 feet northwest of guy pole #953537E on the east side of La Cadena Drive and 120.0 feet northeast of power pole #668320E on the west side of La Cadena.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
607	936.844	City of Colton standard 2 inch brass disc set in the south end of a concrete drainage inlet structure on the north side of the island divider strip at <u>La Cadena Drive</u> intersection with <u>DeBerry Street</u> , approximately 60.0 feet west and 10.0 feet north of power pole #1337687E and 70.0 feet easterly of power pole #4041F.
607-A	956.072	City of Colton standard brass disc set in concrete curb on southeast side of <u>La Crosse</u> in curve concave to northwest at <u>DeBerry Street</u> , west of <u>Riverside Freeway</u> . Set at approximate beginning of curve. Initials "B M" marked on curb .70 foot northeast of disc.
607-B	980.071	City of Colton standard brass disc set in concrete curb at approximate mid-curb at southeast corner of <u>La Crosse</u> and <u>Barton Road</u> . Set approximately 30 feet south and 25 feet east of centerline intersection. Initials "B M" marked on curb 0.80 foot northeast of disc.
608	943.292	City of Colton standard 2 inch brass disc set in the north headwall of a concrete drainage inlet structure in the center divider at the westerly extension of <u>Barton Road</u> (Palm Ave.) intersection with <u>La Cadena Drive</u> , approximately 125.0 feet northeast of power pole #4032F and 85.0 feet west of power pole #513576H.
608-A	969.824	City of Colton standard brass disc set in concrete at the northeast corner of <u>Palm Avenue</u> and <u>Rosedale Avenue</u> . Set 2 feet southeast of power pole #682716E. Set 0.10 foot below surface, approximately 30 feet north and 30 feet east of centerline intersection. Marked "B M" on power pole 1.0 foot above disc.
608-B	937.671	City of Colton standard brass disc set in concrete at southeast corner of <u>Rosedale Avenue</u> and <u>La Loma Avenue</u> . Set 2.0 feet northwest of power pole #4056F, approximately 25 feet south and 25 feet east of the centerline intersection. Initials "B M" marked on power pole 1.0 foot above disc.
608-C	902.703	City of Colton standard brass disc set in concrete sidewalk at back of mid-curb at northwest corner of <u>Rosedale Avenue</u> and <u>Maryknoll Drive</u> . Initials "B M" marked on concrete 0.80 foot southeast of disc.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
702	1159.796	City of Colton standard 2 inch brass disc set in concrete on the west side of <u>Reche Canyon Road</u> , 1.2 miles south of its intersection with <u>Barton Road</u> , 5.0 feet east of a Pepper tree in a row of trees on the south side of a paved road leading to west, south of a stucco house with an address of <u>11920 Reche Canyon Road</u> , approximately 75.0 feet southwest of power pole #1248130E.
703	1227.368	City of Colton standard 2 inch brass disc set in concrete on the west side of <u>Reche Canyon Road</u> , at an intersection with a paved road running westerly, approximately 1.6 miles south of the <u>Barton Road</u> intersection, 40.0 feet north of a power pole #581582H on the west side of the road, and south right of way line of <u>Fern Street</u> .
704	1282.862	City of Colton standard 2 inch brass disc set in the southeast corner of a concrete structure at the southwest corner of <u>Reche Canyon Road</u> and the entrance to <u>Reche Canyon Mobile Estates</u> , approximately 2.0 miles south of the <u>Barton Road</u> intersection, and about 100 feet south of power pole #1595153E.
705	1338.476	City of Colton standard 2 inch brass disc set in concrete on the county line separating San Bernardino and Riverside Counties, on the east side of <u>Reche Canyon Road</u> , 35 feet east of the south ¼ corner to Section 2, T2S, R4W, at the first fence post east of corner post, approximately 2.6 miles south of the <u>Barton Road</u> intersection.
706	1322.123	City of Colton standard 2 inch brass disc set in concrete on the east side of <u>Reche Canyon Road</u> , approximately 2.3 miles south of the <u>Barton Road</u> intersection, 25 feet east and 3.0 feet south of a 1 inch iron pipe marking the end of a curve to the northeast for the centerline of the road, and on the easterly projection of a northerly fence line on the property at <u>12744 Reche Canyon Road</u> , about 60 feet northeast of power pole #581597H, and 3.0 feet west of a 3 inch x 3 inch yellow witness pole.
707	1248.948	City of Colton standard 2 inch brass disc set in concrete on the northeast side of <u>Reche Canyon Road</u> , approximately 1.9 miles south of the <u>Barton Road</u> intersection, 2.0 feet west of guy pole #1714801E, 25 feet east of the centerline of the road. Disc has the top slightly damaged prior to the establishment of the elevation.
708	1201.702	City of Colton standard 2 inch brass disc set in concrete on the east side of <u>Reche Canyon Road</u> , 1.4 miles south of the <u>Barton Road</u> intersection, approximately 45.0 feet east of power pole #581578H and 1.5 feet westerly of a yellow 4 inch x 4 inch witness post. Disc is about 0.1 foot below the surface.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
709	1140.608	City of Colton standard 2 inch brass disc set in concrete on the east side of <u>Reche Canyon Road</u> , 0.85 mile south of the <u>Barton Road</u> intersection, 25 feet south of the intersection of the road with <u>Westwood Street</u> , 1.0 foot north of a power pole.
710	1074.811	City of Colton standard 2 inch brass disc set in the northeast corner of a 5 foot wide north-south sidewalk on the east side of <u>Reche Canyon Road</u> , north of the entrance to Montecito Memorial Park, at approximately 0.3 mile south of the Barton Road intersection, about 88 feet northeast of power pole #943122E
801	1034.358	City of Colton standard 2 inch brass disc set in concrete on the west side of <u>Barton Road</u> , approximately 42 feet south of the centerline of a private road (entrance to 23296 Barton Road) 1.0 foot southwest of a 2 ½ foot height 2 inch x 6 inch guard post painted white, approximately 245 feet south of the centerline of <u>Hilltop Drive</u> , and about 0.1 foot below the surface.
802	1163.281	City of Colton standard 2 inch brass disc set in concrete 2.0 feet south of power pole #376036E, 0.5 foot in back of curb, on the east side of <u>Barton Road</u> , about 120.0 feet south of the centerline of <u>Honey Hills Drive</u> , and flush with the surface.
803	1094.461	City of Colton standard 2 inch brass disc set in concrete on the south side of <u>Barton Road</u> , east of the “Y” intersection with <u>Palm Drive</u> , approximately 15 feet east of the nose of the island, 28 feet east of a catch basin in the pavement, and about 0.5 foot in back of curb.
804	1059.149	City of Colton standard 2 inch brass disc set in the base of a concrete traffic signal standard on Barton Road at the northwest corner of the intersection of <u>Barton Road</u> and <u>Mt. Vernon Avenue</u> .
805	995.648	City of Colton standard 2 inch brass disc set in the concrete sidewalk approximately 12 feet in back of the curb on the east side of <u>Michigan Avenue</u> in the southeast corner of its intersection with <u>Barton Road</u> , at the end of the curb return on Michigan Avenue, and about 0.5 foot west of a planter.
806	990.633	City of Colton standard 2 inch brass disc set in concrete at the northeast corner of the intersection of <u>Michigan Avenue</u> and <u>Van Buren Street</u> , 0.5 foot east of the beginning of the curb return on Michigan Avenue and 0.5 foot north of sidewalk intersection with the curb return, and about 0.1 foot below the surface.

City of Colton Bench Marks

DESIGNATION	ELEVATION	DESCRIPTION OF BENCHMARK
807	1011.905	City of Colton standard 2 inch brass disc set in concrete at the southwest corner of the intersection of <u>Michigan Avenue</u> and <u>Main Street</u> , approximately 50 feet west of the intersection and about 18 feet south of the centerline of Main Street, in line with the easterly face of a house at the southwest corner (address of 15 Michigan Avenue), 12.0 feet west of a Persimmon tree, and 2.0 feet north of a planter curbing, and about 0.2 foot below the surface of the grass.
808	949.413	City of Colton standard 2 inch brass disc set in concrete approximately 105 feet west of the west right of way of the <u>Southern Pacific Railroad</u> , being also the east line of <u>Taylor Street</u> , 19 feet south of the centerline of <u>Main Street</u> , 1.0 foot south of a headwall to a drop inlet grill, and about 0.2 foot below the top of the headwall.
R449 USC & GS	933.410	0.55 mile north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the crossing of <u>Center Street</u> at Highgrove, 2 ½ poles south of mile post 6, in the top of the north end of the west concrete headwall of a large concrete culvert over a canal, 15.3 feet west of the west rail, 1.3 feet north of a 1 ½ inch iron pipe which projects 1 ½ feet above the headwall, and about 5 feet lower than the track.
703.1 S.B. Co. Surv,	932.620	Set a drive pin with a San Bernardino County Surveyor's tag, 1.0 mile north along the <u>Atchison, Topeka and Santa Fe Railway</u> from the crossing of <u>Center Street</u> in High rove, in the top of a concrete retaining wall, 1.0 foot south of an angle point, 4.0 feet north of the south end of the wall, 30.0 feet north of the extension of the centerline of DeBerry Street, and 11.8 feet east of the east track.